📵 Wolters Kluwer

Toronto Metropolitan University Libraries

Health

A Nurses' Guide to Using UpToDate®



Key UpToDate Features:

- 1 Full search functionality for nurses
- 2 Graphics and tables
- 3 Nurse-relevant links within a topic
- 4 Drug information and drug interactions
- 5 Patient education leaflets
- 6 Calculators
- 7 Create your own personalized homepage
- 8 Continuing Medical Education (CME/CPD)
- 9 Remote access

Nurses and nurse practitioners can use UpToDate[®] throughout the patient journey from admission to discharge. You can search topics on conditions and treatments, access graphics and videos, research drug information, and share patient education. **You will also be able to promote shared decision-making with your patients and support best practices in care.**

Full search functionality for nurses

Enter sign, symptom, condition, procedure, protocol. Be specific in what you are searching for.

|--|--|

Examples of search terms

- COVID-19 extubation
- Blood transfusion reaction
- ECG tutorial
- Lacerations ("oral," "scalp," etc.) aftercare
- Catheters (i.e. intravenous, urinary tract-prevention of infections, placement of)
- Pressure sores
- Intra-abdominal pressure
- Chest drain/ chest tube
- Surgical site infection prevention
- Diabetes

TRUSTED RESOURCE FOR NURSING

9 out of 10 nurses and nurse practitioners using UpToDate say they are very to extremely satisfied.*




Graphics and tables to support nurses (RN, BSN, MN, or NP) and continued education

Search example: contact dermatitis.

Use filters to quickly identify graphics related to:

- Early detection of patient health changes
- Patient cases
- Algorithms and charts for patient treatment, and management



Find relevant links within a topic

Broaden your knowledge with evidence-based topics.

The search example below is for hypothyroidism treatment. Summary and recommendations provide you with a quick, clear, and concise answer.

Browse table of contents for qui access to conditions and treatme		Share patient education via email (if permitted)	Share topics with your colleagues
VDTODAte® rypothyroidem treatment < Back Treatment of primary hypothyr < Cack Treatment of primary hypothyr < Cacher Symptoms < Persistent symptoms < Persi		and "Beyond the Basics." The Basics patient education piec tient might have about a given condition. These articles are education pieces are longer, more sophisticated, and more rmation and are comfortable with some medical jargon.	best for patients who want a general overview a detailed. These articles are written at the 10^{th}to
Candidates for combined T4 and T3 therapy Dosing and available preparations Monitoring combined therapy Converting from deslocated thyroid extract to T4 Converting from combined T4 and T3 therapy to T4 monotherapy		thyroid).(The Basics)")	
SPECIAL TREATMENT SITUATIONS Older patients or those with coronary heart disease Pregnancy Estrogen therapy Surgical patients Poorly compliant patients Thyroid cancer	 A set of a set of the set of th	Arug links hro	to note that there is an age-related shift towards
Myssdema coma Selenium deficiency When the diagnosis of hypothyroidism is uncertain	 The treatment of choice for correction of hypothymoldism is synthetic combination 74-triiodothyronine (T3) therap (Grade 28) However radioiodine). We discourage the use of combined therapy in older p 	T4-T3 therapy may improve symptoms in selected patients	s (eg, after thyroidectomy or ablative therapy with

Drug information and drug interactions

Access drug information to better understand prescribed medications, administrations, side effects, and drug interactions.

Search for a drug name or click on the drug links within topics to access the drugs' information as shown.

These drug monographs (see image) will provide you with information on the:

✓ Right drug ✓ Right dose ✓ Right route ✓ Right time ✓ Right patient

Up	oDate [®] ciprofloxacin adult	x Q 8 × 8
Medication Safety Issues	Ciprofloxacin (systemic): D	rug information ciprotoxacin aduit Find Print A 🗋 Bookm
	Label: Adult <	Administration: Adult
Adverse Reactions	on Safety Issues	Oral: May administer with most foods to minimize GI upset; avoid antacid use; maintain proper hydration and urine output. Avoid concomitant administration with dairy products (eg. milk, yegurt) or
Contraindications	Reactions	calcium-fortfield glues alone, however, may be taken with meals that contain these products; separate administration of Cipro XR and calcium >800 mg by at least 2 hours. Administer immediate- release ciprofloxacin and Cipro XR at least 2 hours before or 6 hours after antacids or other products containing calcium, iron, or zinc. Separate oral administration from drugs that may impair absorption (see Drus Interactions).
	vPrecautions	Oral suspension: Should not be administered through feeding tubes (suspension is oil-based and adheres to the feeding tube). Shake vigorously before use for ~15 seconds; administer using
Warnings/Precautions	3: Additional Pediatric Considerations	the co-packaged graduated teaspoon. Do not chew the microcapsules in the suspension; swallow whole.
	sm/Transport Effects	Nasogastric/orogastric tube: Crush immediate-release tablet and mix with 20 to 60 mL water. Flush feeding tube before and after administration. Do not administer simultaneously with enteral 896). Optimal time frame for dose separation is unknown; one recommendation is to hold tube feedings at least 2 hours before and 4 hours after
Warnings: Additional Pediatric (vactions Nas	sogastric/orogastric tube: adjustment of feeding rates to compensate for lost feeding time (Beckwith 2004).
Metabolism/Transport Effects	tractions	Teorer, exercise or construction split, or chew.
Metabolishi/ Hansport Ellects	cy Considerations	Bariatric surgery: Some institutions may have specific protocols that conflict with these recommendations; refer to institutional protocols as appropriate. Switch to IR formulation (tablet or
Drug Interactions	eeding Considerations	oral solution). Parenteral: Administer by slow IV infusion over 60 minutes into a large vein (reduces risk of venous inflation).
	Considerations	125 SEGN 0 REPORTS
Food Interactions	ng Parameters	Administration: Pediatric Oral: May administer with food to minimize GI upset: divalent and trivalent cations Idalry foods (milk, vogurt) and mineral supplements (eg, iron, zinc, catcium) or catcium-fortified uices] decrease
	sm of Action	ciprofloxacin absorption; usual dietary calcium intake (including meals which include dairy products) has not been shown to interfere with ciprofloxacin absorption (per manufacturer). Administer
Pregnancy Considerations	odynamics and Pharmacokinetics	immediate release ciprofloxacin and Cipro XR at least 2 hours before or 6 hours after any of these products.
	odynamics and Pharmacokinetics: al Considerations	Oral suspension: Shake vigorously prior to each dose. Should not be administered through feeding tubes (suspension is oil-based and adheres to the feeding tube). Patients should avoid chewing on the microcapsules.
Breast-Feeding Considerations	JS	Tablets:
Dietary Considerations	ames: International	Immediate release: Administering 2 hours after meals is preferable.
Diotary Considerations	NGES	Extended release: Do not crush, split, or chew. May be administered with meals containing dairy products (calcium content <800 mg), but not with dairy products alone.
Monitoring Parameters	APHICS view all	Missed dose:

UpToDate®	
Contents	^{ors} Drug Interactions

The UpToDate Drug Interactions Tool provides 5-tier risk rating to see if the combination is safe for your patient.

Pick a combination of drugs that shows X and D.


The drug interaction tools show you the impact herbs have on prescribed medications.

Lexicomp® Drug Interactions	_		X Avoid combination C	Monitor therapy	A No known interaction	
Add items to your list by searching below.		D	Consider therapy modification	No action needed	More about Risk Ratings	
	11 Results		mounioulion		Filter Results by Item	
ITEM LIST	D Cipro Multiv	D	Ciprofloxacin (Systemic) (C Multivitamins/Minerals (with)	
Ciprofloxacin (Systemic)	D Dipiro Ginkg	D	Garlic (Herbs (Anticoagular Ginger (Herbs (Anticoagula			
Ginkgo Biloba	D Dipiro Greer	D	Simvastatin (HMG-CoA Reductase Inhibitors (Statins)) St John's Wort			
Alcohol (Ethy!)	D Dipirc Ginkg	D	Warfarin (Anticoagulants) Garlic (Herbs (Anticoagular	nt/Antiplatelet Prope	rties))	
PredniSONE	D Dipiro Greer D Ginkg	D	Warfarin (Anticoagulants)			
Gipirona (SYN)	Greer Cipro		Ginger (Herbs (Anticoagula Warfarin (Vitamin K Antago		erties))	
Multivitamins/Minerals (with ADEK, Folate,	C Cipro Predr	c	St John's Wort Warfarin (Vitamin K Antago			
<u>Iron</u>)		C	Ciprofloxacin (Systemic) (C Warfarin (Vitamin K Antago Multivitamins/Minerals (with	nists))	

You can search for drug-to-drug, drug-to-herb, and herb-to-herb interactions. Enter the drugs, herbs, and vitamins being taken by your patient. Next, click on the combination to find out more. This may help you reduce your patients' risk of an adverse drug reaction (as shown in the illustration).

Patient education leaflets

Enhance patient engagement and family communication with UpToDate patient education leaflets found under the "Contents" tab.



Create your own personalized homepage

With your personalized homepage, you can track CME/CPD, bookmark content for quicker access, browse your history, receive alerts, and use UpToDate remotely.

UpToDate®				<mark>名</mark> John Sm		19.0 Log Out
Contents ~ Calco	ulators Dr	rug Interactions	B UpToDate P	athways		
						Track CME/CPD
	Search Up	ToDate				
_	copd exact	erbation differenti	al diagnosis	×	Q	Bookmark conter for quick access
Browse history				22202000000		TOT QUICK access
	History	Most Viev	History	Most Viewed	Bookma	rks
	Management	t of exacerbations	• Management	of exacerbations of chro	onic obstructive	e pulmonary disease
	Management	t of infection in ex				

Q The orange dot alerts you to new research added since your last view of the record

TO GET STARTED, FOLLOW THESE STEPS:

1 Click register. You can create an UpToDate Account <u>only</u> from a computer within your institution — www.uptodate.com.

Contents ~	Calculators	Drug Interactions	Register	Lo
		earch UpToDate		

2 Complete registration form and accept license.

Enter your name as you would like it to display in your CME/CPD certificate

Register for an UpToDate account Make the most of your UpToDate experience: Register for an account and be mobile access to our trusted clinical content. Plus, earn and redeem CME/CE while you work.	Set CME/CPD setting. You can redeen credits within two years.			-
Already registered? Please log in with your UpToDate username and pass	UpToDa	ate [®]	Search UpToDate	(UpToDate Pathways
Complete registration form to create an account.	Continuing Professional Development (CPD) CPD Home Redeem CPD CPD History CPD Help Accreditation Statements			Settings CME Credit Type MOC Boards
Create your username and password Username Password Password Password rules: • 8 to 24 characters • at least 1 uppercase letter • cannot match username • at least 1 momber, or special character from the following set • @ # \$ * ! () * * Verify Password Submit Registration	Maintenance MOC Home MOC Status an MOC Help Settings	of Certificati	on (MOC) Go to settings to lect your author	

Continuing Medical Education Wolters Kluwer (CME/CPD) UpToDate[®] certifies that UpToDate is recognized as a continuing John Smith education resource by colleges. has participated in the internet point-of-care activity titled associations, and authorities around the world. You can earn CME/CPD credits **UpToDate**[®] while answering clinical questions. September 1, 2020 - September 1, 2021 and is awarded Refer to the Accreditation Statements under the CPD link to learn more. 1.0 AMA PRA Category 1 Credit(s)" Continuing Medical Education (CME) Denise Basow Redeem CME History Help View and download past Learn about redeeming 50.5certificates CME using UpToDate Redeem \rightarrow $Go \rightarrow$ $G_0 \rightarrow$ Credits are available to redeem for two years.

Remote access

For convenience you can access UpToDate on any device. Enter your log-in credentials for remote access on your tablet or computer. Follow these instructions to download and install the mobile app:

- <complex-block>
- Go to your App Store
- Search for UpToDate
- Click on the UpToDate icon
- Download and install the app
- Enter your username and password the first time you access the app

"I use UpToDate almost every day. It has decreased the time required to research a topic from days to sometimes minutes!"

— Molly Larkin, MS, RN Nurse, Technology Assessment, Optima Health Care, Virginia Beach, Virginia

"I use UpToDate, as I cannot compromise medication safety and patient safety. It's easy to review and safer to use."

— Supriya Mallisserikalam, BSN, RN, MBA Duty Manager, MediClinic Middle East Parkview, Dubai UAE

"At the ACNP we are always looking at ways to add greater value for our members. The introduction of UpToDate, an evidence-based, health professional-authored clinical decision support solution from Wolters Kluwer, for our members, will allow you to have the most up-to-date information for your patients at your fingertips."

- Leanne Boase, NP President of the Australian College of Nurse Practitioners



US/CAN: tel 1.888.550.4788 | All other countries: tel +31 172 641440 Please visit **www.uptodate.com** for more information or contact us at **www.uptodate.com/home/sales**